

COVID-19 Product Catalogue

KeyLeer Korb


An International Industrial
Commodity Trading Company



An Unit of KeyLeer
Investment Holdings



Wholesale Distribution of
Pharma Products & Medical
Textile & Devices



Wholesale Distribution of
Industrial Electronic Products



Engineering, Construction,
Procurement, Distribution of
Steel Industrial Products



Wholesale Distribution of
Disaster Relief Products

Registered Under
MSME Act



ISO 9001 : 2015
Certified Company




Member of Indo - German
Chamber of Commerce



Member of Industry &
Trade Chamber Dresden



 +49 1782862150

 www.keyleerkorb.com  info@keyleerkorb.com

Foreword

KLKE is a second-generation enterprise that procures and supplies products that are hard to find or in acute demand, in two categories 1) Industrial Products and 2) Societies Products. Under the Industrial Products categories, KLKE has Obsolete Electronics, Pharma & Medical Products and EPC for Steel plant. While in Societal products KLKE has Disaster & Relief commodities. However, if there is a situation where there is an essential shortage due to disease outbreak, KLKE reserve our "Pharma and Medical Products" to public organizations and standard-essential suppliers to ration people's acute demand.

KLKE specializes in procuring these products through our broad network of manufacturers, dealers, agents, brokers, and distributors, which are hard to find. As many of the suppliers lack an online presence, KLKE through our people, market intelligence, and specialized network makes this possible.

This rural company is registered in sole proprietorship of Dr. P. Rathinavelu in Mayiladuthurai, India and with a dependent branch office in Dresden, Germany, and it is part of KeyLeer Investment Holding Private Limited. KLKE is an MSME, under the MSME act of 2006, Govt, with ISO:9001:2015. And it is proud member of Indo-German Chamber of Commerce and the Industrial Association of Dresden.

KLKE aims to satisfy the demand and requirement from the customer, as promised, and provide testing certificates to support the quality, functionality, and it's a visual state. Besides, the company provide 24*7 service and provide either products or/and service, in need of emergency all over the world. More info can be found in www.keyleerkorb.com

We strive for quality, time and price.

Regards,

Vignesh Nagesh., B.E., M.S.,
CEO



COVID-19 Testing kit

Gene symbols	IGG/IGM
Number of Targets detected	2
Species Detected	Human
Compatible sample types	Blood, Finger prick, Serum
Method of Detection	Colloidal Gold
Quantitative/Semi-Quantitative	Qualitative
Solid support	Lateral flow
Size	20 Strips



MOQ	Package	Carton size
500	Package will be informed before shipment	

Payment terms	100% or 80/20 depends on the Quantity via Bank Transfer, western union
Delivery details	FOB, and Door to Door on request



Digital Non-Contact Temperature Infrared Forehead Thermometer Gun

Model	TR-TH015
Product name	Infrared Thermometer
Colour	As photo
Material	Plastic + Electronic Components
Specification	38X27X27 cm
Type	Non-contact
Style	Angle 90
Certification	CE
Display	LCD Screen



MOQ	Package	Carton size
300	Package will be informed before shipment	

Payment terms	100% or 80/20 depends on the Quantity via Bank Transfer, western union
Delivery details	FOB, and Door to Door on request,



Portable Instant Reading Digital Baby Ear Thermometer

Model	MCS-107
Product name	Ear Thermometer
Object temperature range	0C-100C
LCD display size	35*25mm
Type	Non-contact
Certification	CE&FDA
Display	LCD Screen

Minimum Order quantity	1 unit
Delivery details	FOB, and Door to Door on request



Automatic Infrared Thermometer Body Temperature Scanner

Model	MCP-2045
Product name	InfraredThermometer
Object temperature range	25C-45C
Dimensions	286*115*100mm
Type	Non-contact
Accuracy	≤0.4°C
Display	LCD Screen



Minimum Order quantity	1 unit
Delivery details	FOB, and Door to Door on request



Portable UV Folded sterilizer

Bulb Type:	LED
Lighting Period (H):	1-2
Charging Type	Non-rechargeable
Power Supply	Dry Battery
Light Range	<50m
Material	Aluminium
Bulb Type	LED
Lighting Period (H)	1-2



MOQ	Package	Carton size
500	Package will be informed before shipment	

Features

Kill germs on carpets, mattresses, computers, telephones, kitchen utensils.

Upholstery in 20 seconds just by holding the wand on the surface of them

Safety switch design prevent children to use

With LCD display, can set up working time from 10 seconds-30 minutes

Only 5 minutes can kill or drive away dust

Fashionable product brings you a healthier life, Long life UV light never needs to be replaced, Various approval adapter available (UL GS PSE BS Etc.)

Payment terms	100% or 80/20 depends on the Quantity via Bank Transfer, western union
Delivery details	FOB, and Door to Door on request, on request door to door



Sanitizer

Model NO.	YL-041
Scent	Unscented
Medicated	Non-Medicated
Main Ingredient	Charcoal
Ingredient	Mineral
Wash Style	Waterless
Volume	50 ML
Fragrance	Mild
Specification	380*270*230mm
Certification	MSDS



MOQ	Package	Carton size
300	Package will be informed before shipment	

Payment terms	100% or 80/20 depends on the Quantity via Bank Transfer, western union
Delivery details	FOB, and Door to Door on request, on request door to door



Medical Protective Glasses

Lens Material	PC
Lens Type	PC
Type	Y Type
Leg Feature	Flexible Legs
Leg Feature	Simple
Lens Colour	Transparent
Suitable for	General
Net Weight	11kg
Specification	1602*130*56MM
Application	Construction, Manufacturing, Medical, outdoor sports, Mining , Driving etc.



MOQ	Package	Carton size
300	Package will be informed before shipment	

Features:

Unrestricted vision in all direction, Lens are available for Anti-scratch, Anti-impact and UV rays resistance

Payment terms	100% or 80/20 depends on the Quantity
Delivery Details	FOB, and Door to Door on request, on request door to door



Anti-Splash medical safety goggle

Material	Plastic
Type	Safety goggle
Size	280*100*85mm
Glass Size	200*70mm
Net Weight	103g
Certification	CE, ISO13485
Quality Guarantee Period	3 Years
Ethylene Oxide Sterilization	Ethylene Oxide Sterilization



MOQ	Package	carton size
500	1 PC/Plastic 50PCS/CTN	

Features

spherical lens allows 180 degrees wide vision, wider adjustable head strap ensures more comfortable wearing and dual antifogging coating

flexible PVC frame with good seal to the face, comfortable nose pad and polycarbonate lens offers excellent impact resistance and 99.9% UV protection

compatible with eyeglasses and breathing apparatus and standby through-hole on both sides allows the fixation of other protective outfits

Payment Terms	100% or 80/20 depends on the Quantity
Delivery details	FOB, and Door to Door on request, on request door to door



Disposable Plastic Dental Safety Medical Anti-Fog Face Shield Mask

Material	Plastic
Specification	19cm x 33.5cm
Anti-Fog	yes
Colour	Blue/Black or can be customized
Shield Material	PET
Foam	Medical grade foam cushion, odorless
MOQ	50KPIECES
Certification	CE, ISO13485
Ethylene Oxide Sterilization	Without Ethylene Oxide Sterilization



MOQ	Package	carton size
1000	100 PCS Per Carton	54cm x 34.5 x 35

Payment Terms	100% or 80/20 depends on the Quantity via T/T
Delivery details	FOB, and Door to Door on request, on request door to door



2 Ply

Type	Disposable
Size	17.5 x 9.5 cm m
Material	Non-Woven
Colour	Blue, Green, white etc
Thickness	2-6mm
Mask Securing Method	Earloop
Pattern	Elastic Earloop
Packaging Type	Packaging Type



MOQ	Package	carton size
50000	50 pieces per box / 60 boxes per box	53x43x40 cm

Features:

Skin friendly design, High protection and Longer shelf life

Payment Terms	100%, 80/20 depends on the quantity
Delivery details	FOB, and Door to Door on request, on request door to door



3ply

Material	made of non-woven with high filtration efficiency
Dimensions:	17.5 x 9.5 cm m
Type:	Face Mask/Apron/Gloves
Colour:	White/Black/Blue/Pink/Purple
Certification:	CE, FDA, ISO13485
Ethylene Oxide Sterilization	Without Ethylene Oxide Sterilization
Filter efficiency	PFE>99%,BFE>99%
Storage	Stored in dry, humidity below 80%, ventilated, non-corrosive gases warehouse



MOQ	Package	carton size
50000	50 pieces per box / 60 boxes per box	53x43x40 cm

Payment Terms	100% or 80/20 depends on the Quantity via T/T
Delivery details	FOB, and Door to Door on request, on request door to door



4 Ply facemask

Type	Disposable
Size	17.5 x 9.5 cm m
Material	Non Woven
Colour	Blue, Green, white etc
Thickness	2-6mm
Mask Securing Method	Tie-On Mask
Foldable	yes
MOQ	50000



MOQ	Package	Carton size
50000	50 pieces per box / 60 boxes per box	53x43x40 cm

Features

Biodegradable, Custom Design, Eco-Friendly, Light Weight

Bacteria Filtration Efficiency > 99%. ORIGINAL FILTRA BRAND SOLD EXCLUSIVELY BY THEA-TEX

Low breathing resistance, Delta P 120 mm Hg

Adheres to European Class EN 14683 Type II R

Soft lyre latex free elastic ear bands

Malleable nose clip prevents air leakage

Payment Terms	100% or 80/20 depends on the Quantity via T/T
---------------	---

Delivery details	FOB, and Door to Door on request, on request door to door
------------------	---

Kn95 Ffp2 Disposable Folding Protective Mask

Model.no	JM-KZ-02
Material	Non-Woven
Filtration Efficiency	>95%
Filter Rating	N95/KN95/FFP2
Size	9.5X17cm 15X10.5cm
Colour	white
Shape	Dust Mask
Mask Type	Safe type
Mask Application	Personal Protection, Industry Use, Anti-Dust Pm2.5
Certification	FDA, CE



MOQ	Package	carton size
10000	2pcs/pack bag, 500pcs/carton (250pack bag)	



Payment Terms	100% or 80/20 depends on the Quantity via T/T
Delivery details	FOB, and Door to Door on request, on request door to door



Face Mask N95

Model NO.	
Material	1st layer: 35gsm PET non-Woven ,2nd layer: 20gsm filter paper,3th layer: 20gsm PET non-Woven (fabric thickness can be customized)
Size	Adult: 17.5*9.5cm, Child: 14.5*9.5cm, Baby: 12.5*7.5cm
Standard	N95/N90/Ffp1/Ffp2/Ffp3
Layers	3 Ply
Function	Anti-Dust
Feature	Anti-Dust Anti-Odour
Mask Filtration	Mask Filtration
Certification	CE, FDA
Application	for pharmaceutical, laboratorial, industrial sectors



MOQ	Package	carton size
10000	2500pcs/carton 50pcs/bag	530mm*400mm*380mm

Payment Terms	100% or 80/20 depends on the Quantity via T/T
Delivery details	FOB, and Door to Door on request, on request door to door



Kn95 N95 Ffp2 with Valve Respirator

Standard	EN14683-2019
Type	Face Mask/Apron/Gloves
Material	Non-woven Fabric
Filter Rating	N95/KN95/FFP2
Certification	CE, FDA, ISO13485
Ethylene Oxide Sterilization	Ethylene Oxide Sterilization
Filtering Effect	99%
Dust-Proof	yes
Specification	49x29x37
Particulate Filtration Size	0.075um
MOQ	500



MOQ	Package	carton size
10000	2500pcs/carton50pcs/bag	530mm*400mm*380mm

Payment Terms	100% or 80/20 depends on the Quantity via T/T
Delivery details	FOB, and Door to Door on request, on request door to door

Medical Gloves Latex Nitrile Gloves



Type	Face Mask/Apron/Gloves
Material	latex
Certification	CE, FDA
Ethylene Oxide Sterilization	Without Ethylene Oxide Sterilization
Ethylene Oxide Sterilization	One Year
Size	80-100mm



MOQ	Package	carton size
20000	2500pcs/carton 50pcs/bag	530mm*400mm*380mm

Features:

Excellent quality, competitive price, Internal smooth, easy to wear, and Natural polyethylene does not contain any element of allergic reaction to human skin, non-toxic, harmless and tasteless.

Economical, flexible, convenient, light weight, personal care, hair-dyeing, experiment, cleaning, housework, restaurants, hotels, enterprises and shop

Payment Terms	100% or 80/20 depends on the Quantity via T/T
Delivery details	FOB, and Door to Door on request, on request door to door



Plastic Disposable Gloves

Model NO.	BAM5202
Type	Disposable Sanitary Products
Material	plastic
Feature	Eco-Friendly, Biodegradable
Certification	GB
Colour	Unicolor



MOQ	Package	carton size
20000	Package will be informed before shipment	

Payment Terms	100% or 80/20 depends on the Quantity via T/T
Delivery details	FOB, and Door to Door on request, on request door to door



Full Body Coverall Medical Suit

Material	Composite nonwoven (has good permeability and barrier)
Colour	White
Weight	260g
Size	160cm, 165cm, 170cm, 175cm, 180cm, 185cm or customized
Structure	Jumpsuit structure, consists of hooded top and trousers



MOQ	Package	carton size
100	Package will be informed before shipment	

Characteristics/features:

This product is non-sterile

It can effectively resist the penetration of bacteria, viruses, alcohol, blood, body fluids, air dust particles, can effectively protect wearer from the threat of infection.

Payment Terms	100% or 80/20 depends on the Quantity via T/T
Delivery details	FOB, and Door to Door on request, on request door to door



Surgical Gowns

Model NO.	CNMP-017
Style	Jumpsuit
Sterilization	Sterilization
Colour	Blue
Size	S/M/L/XL/2XL/3XL
Material	PP SMS Non-Woven Fabrics
Type	35g Standard, 35g Reinforced, 45g Standard, 45g Re
Specification	50Bag/Carton
Certification	CE, FDA, ISO13485, EN13795



MOQ	Package	carton size
300	Package will be informed before shipment	

Features:

SMS/SMMS fabric, free-anti SMS/SMMS, Anti alcohol-antistatic-anti plasma, High level of protection against blood borne pathogens and Permeable, efficient for bacteria filtration, raglan design for more comfortable

Adjustable neck ties for easy use, ultrasonic sealed sleeves for more protection assurance and Suitable for casualty wards and all kinds of surgery rooms

Payment Terms	100% or 80/20 depends on the Quantity via T/T
Delivery details	FOB, and Door to Door on request, on request door to door



Waterproof Protective Shoe cover

Standard	GB19083-2010
Filter Rating	N95/KN95/FFP2
Type	Disposable Isolation Gown and Cap
Material	Non-woven Fabric
Certification	CE, ISO13485
Ethylene Oxide Sterilization	Ethylene Oxide Sterilization
Standard	GB19083-2010
Filter Rating	N95/KN95/FFP2
Specifications	I (general type), II (sterile type)- 39cm x 19cm
Model	Plastic type (2.0 wire, 2.5 wire, 3.0 wire, 3.5 wire, 4.0 wire)
Colour	blue
Product Numbers	LT / C29
Quality Guarantee Period	Two Years
HS Code	6307900090



MOQ	Package	Carton size
5000	Package will be informed before shipment	

Payment Terms	100% or 80/20 depends on the Quantity via T/T
Delivery details	FOB, and Door to Door on request, on request door to door



High Quality ICU Medical Portable Ventilator

Model NO.	TW-v01
Customized	Non-Customized
Certification	CE, FDA
Type	Breathing Apparatus
Operating Mode	CPAP, S, T, St, Vgps
Specification	66*52*111
Trademark	OT
Display	10.4" touch screen
Air Source	O2: 0.32Mpa±0.6Mpa
Tidal Volume	20ml~2000ml
peak velocity	180 L/min
Breath time	0.3-6s
Pressure control	0-50cmH2O
Inspiratory trigger mode	Pressure & Flow
Inspiratory pressure trigger	-20 cmH2O~0 cmH2O
Flow trigger	0~20L/min
Inspiratory rise time	0.1-2.0s
sign pressure	0~35 cmH2O
I:E	10:1-1:10
Apnea interval	10-60s



MOQ	Package	Carton size
25	Package will be informed before shipment	

Payment Terms	100% or 80/20 depends on the Quantity via T/T
Delivery details	FOB, and Door to Door on request, on request door to door



Ventilator

Model NO.	PB840
Height	56 In (142.24 cm)
Width (Wheels in outmost position)	28.5 In (72.39 cm)
Depth (Wheels in outmost position)	29.5 In (74.93 cm)
Weight	162.7 lbs (73.8 kg)
Height	56 In (142.24 cm)
Oxygen and air inlet pressure	241 to 690 kPa (35 to 100 psi)
Oxygen and air inlet supply flow	Maximum of 200 L/min
Maximum limited pressure	127.5 cmH ₂ O (125 hPa)
Minute volume capability	25 to 75 L/min
Bacterial filter efficiency	99.97% for nominal particle size of 0.3 µm (micron) at 100 L/min
Range of flow for mixed gas	150L/min(std)
+30L/min(neonatal)	
+80L/min(pediatric)	
+200L/min(adult circuit)	
Pressure range for mixed gas	35 to 100 psi (241 to 690 kPa)
Modes	Assist/Control, synchronous intermittent mandatory ventilation, or spontaneous



MOQ	Package	Carton size
25	Package will be informed before shipment	

Payment Terms	100% or 80/20 depends on the Quantity via T/T
Delivery details	FOB, and Door to Door on request,



Ventilator

Model NO.	PB980
Predicted body weight	3.5 kg (7.7 lb) to 150 kg (330 lb)
Ventilation type	Invasive and Noninvasive (NIV)
Pressure support	0 cmH2O to 70 cmH2O
Rise time %	1% to 100%
Height	56 In (142.24 cm)
Oxygen and air inlet pressure	241 to 690 kPa (35 to 100 psi)
Oxygen and air inlet supplyflow	Maximum of 200 L/min
Peak inspiratory flow	3 L/min to 150 L/min
Inspiratory pressure	5 to 90 cmH2O
Inspiratory time	0.2 to 8.0 seconds
Expiratory time	≥ 0.20 seconds Resolution: 0.01 s
I:E ratio	1:299 to 149:1
Gas mixing system	Up to 80 L/min for pediatric circuit type, Up to 150 L/min for adult patients. Additional flow is available (peak flow to 200 L/min) for compliance compensation
Oxygen and air inlet supplies	Pressure: 241 to 600 kPa (35 psi to 87 psi) Flow: Maximum of 200 L/min



MOQ	Package	Carton size
25	Package will be informed before shipment	



Payment Terms	100% or 80/20 depends on the Quantity via T/T
Delivery details	FOB, and Door to Door on request, on request door to door



Ventilator

Model NO.	ACM821A
Tidal volume	50 ~ 1500ml
Minute ventilation	0-20 litres / minute
I: E(Breathing ratio)	1: 0.3, 1: 0.5, 1: 0.7, 1: 1, 1: 1.5, 1: 2, 1: 2.5, 1: 3, 1: 3.5, 1: 4
Respiratory frequency	4 times / minute to 80 times / minute
Limit pressure	2-6kpa
Trigger pressure adjustment	-2Kpa ~ 2Kpa
Continuous airflow	3-5LPM
Manual inspiration pause	20s
Inhaled oxygen concentration	48%-100% adjustable
Pressure limit of safety valve	5.1-6kpa
Auxiliary / control	A / C, synchronous intermittent instruction: SIMV, A / C + sigh: A / C + SIGH



MOQ	Package	Carton size
25	Package will be informed before shipment	

Payment Terms	100% or 80/20 depends on the Quantity via T/T
---------------	---



Delivery de-
tails

FOB, and Door to Door on request, on request door to door

